

SAFETY DATA SHEET

Monster Scrubber

Revision Date

2/11/2015

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	Monster Scrubber	PRODUCT USE	Hand Soap	ITEM	TM7423
COMPANY NAME	Rev Your Cause, LLC	Office	(855) 738-9687		TM2797
	1440 Jason Way STE 100	Fax	(805) 354-7099		TM7627
	Santa Maria CA 93455	Web	www.ThrottleMuscle.com		

EMERGENCY TELEPHONE NUMBER .

SECTION – 2 HAZARDS INFORMATION

PHYSICAL HAZARDS None

HEALTH HAZARDS EYES-Category 2B



Irritant (eye)

WARNING! Product contact with eyes can cause irritation. Prolonged product contact with skin may cause irritation or drying. May be harmful if swallowed. KEEP OUT OF REACH OF CHILDREN

SECTION – 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

<u>CHEMICAL NAME</u>	<u>COMMON NAME AND SYNONYMS</u>	<u>CAS #</u>	<u>IMPURITIES</u>	<u>PERCENT</u>
Alcohol Ethoxylate	Alcohols, C9-11, ethoxylated	68439-46-3		< 3%

SECTION – 4 FIRST AID MEASURES

EYE CONTACT	Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids. Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain immediate medical attention, preferably from an ophthalmologist.
SKIN CONTACT	Wash with water.
INHALATION	Not Applicable
INGESTION	DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs
Aspiration Hazard	Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes	Can cause eye irritation
Skin	May cause mild skin irritation
Inhalation	Not applicable
Ingestion	May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes	May cause serious eye irritation
Skin	Can cause mild skin irritation, drying or cracking
Inhalation	Not applicable
Ingestion	Harmful if swallowed, May cause irritation, burning in the mouth, throat, and stomach, Slight acute toxicity if swallowed

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media	Suitable: Use DRY chemicals, CO2, alcohol foam. Water spray to cool or protect exposed materials
Hazardous Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes
Reactive With	Incompatible with, strong oxidizing agents, bleach
Explosion Hazards	Not applicable
Static Discharge	Not applicable
Mechanical Impact	Not applicable
Protective Equipment	Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

FLAMMABLE LIQUIDS HAZARD CLASSIFICATION

Criteria Flash point > 93.3°C (200°F)
NFPA Class III B
GHS Not applicable
WHMIS Not applicable

NFPA HAZARD RATINGS

Health	1
Flammability	0
Reactivity	0
Personal Protection	FBG

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Warn personnel of spill
Personal Precautions	Avoid slipping on spilled product
Protective Equipment	Safety Glasses
Containment	Use rags or towels to prevent spill from spreading
Clean Up Procedures	Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Avoid eye contact. Harmful if swallowed
Storage	Keep container closed when not in use, KEEP OUT OF REACH OF CHILDREN
Incompatible Materials	Incompatible with, strong oxidizing agents, bleach

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
Alcohol Ethoxylate	Not Established		Not Established		

PERSONAL PROTECTIVE EQUIPMENT

Not Normally Required

Eye Wash
(Recommended)**Ventilation**

General Ventilation

HMIS HAZARD RATINGS

Health	1
Flammability	0
Reactivity	0
Personal Protection	

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	Not applicable	Specific Gravity / Relative Density	Not determined
Flammable Limits	Not applicable	Molecular Weight	Not determined
Auto-Ignition Temp.	Not applicable	Initial Boiling Point	Not determined
Physical State	Viscous Paste	Boiling Range	Not determined
Appearance	Yellow Gritty Paste	Vapor Pressure	Not determined
Odor	Pleasant	Vapor Density	Not determined
Odor Threshold	Not determined	Freeze Point	Not determined
Solubility	< 18%	Melting Point	Not determined
Volatiles	< 2%	Partition Coefficient	Not determined
VOC	< 1%	Decomposition Temperature	Not determined
pH (± 0.3)	7.2	Evaporation Rate	Not determined

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable when stored below 49°C (120°F)
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, bleach
Thermal Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation
 Skin May cause mild skin irritation
 Inhalation Not applicable
 Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes May cause serious eye irritation
 Skin Can cause mild skin irritation, drying or cracking
 Inhalation Not applicable
 Ingestion Harmful if swallowed, May cause irritation, burning in the mouth, throat, and stomach, Slight acute toxicity if swallowed

Acute Tox Calculated Oral: 14,522 mg/kg Dermal: 30,685 mg/kg Inhaled: mg/L

Acute Tox Category "Not applicable (Oral > 2,000 mg/kg)", "Not applicable (Dermal > 2,000 mg/kg)", "No data available (Inhaled)"

Additional Info

Target Organs Eyes (Lens or cornea)
 Medical Conditions Preexisting, eye, disorders may be aggravated by exposure to this product
 Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
----------------------	------------	--------------	-------------	---------------------

None Listed

MUTAGENIC AND REPRODUCTIVE EFFECTS – May cause fetal and reproductive abnormalities.

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
----------------------	-------------------------------	------------------------------

None Listed

COMPONENTS ACUTE TOXICITY

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Alcohol Ethoxylate	LD50	Oral	Rat	1,400 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	5,000 mg/kg		(>2000 mg/kg)

SECTION – 12 ECOLOGICAL INFORMATION

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Alcohol Ethoxylate	LC50	Fathead Minnow	(Pimephales promelas)	8.5 mg/L	96 Hours	2 (>1, ≤10 mg/L)
	EC50	Water Flea	(Daphnia magna)	5.3 mg/L	48 Hours	2 (>1, ≤10 mg/L)

Persistence And Degradability No specific biodegradation test data was located

Bioaccumulative Potential No data available

Mobility In Soil No data available

Other Adverse Effects No data available

SECTION – 13 DISPOSAL CONSIDERATIONS**DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER**

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

SECTION – 14 TRANSPORT INFORMATION**D.O.T. CLASSIFICATION**

<u>UN Number</u>	<u>Proper Shipping Name</u>	<u>n.o.s. (Chemicals) or "Limits"</u>			
Not Regulated	Non Hazardous – Compounds Cleaning Liquid				
<u>Hazard Class</u>	<u>Packing Group</u>	<u>Label Codes</u>	<u>Reportable Quantity (lbs)</u>	<u>Response Code</u>	<u>Marine Pollutant</u>
None	PG III	None	None	154	No

SECTION – 15 REGULATORY INFORMATION**TSCA**

CHEMICAL NAME	Sec 8(b) Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
Alcohol Ethoxylate	Yes			

REPORTABLE QUANTITIES

CHEMICAL NAME	Extremely Hazardous EPCRA TPQ Sec 302	Reportable Quantity EPCRA RQ Sec 304	Reportable Quantity CERCLA RQ Sec 103	Emission Reporting TRI Sec 313	RCRA Code	RMP TQ Sec 112r
None Listed						

SARA

CHEMICAL NAME	Section 311		Section 311 / 312 Hazards			
	Hazardous Chemical	Acute	Chronic	Flammable	Pressure	Reactive
Alcohol Ethoxylate	Yes	Yes				

RIGHT TO KNOW

CHEMICAL NAME	STATE												
	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
None Listed													

INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
Alcohol Ethoxylate	Yes	Yes	Yes	Yes	Yes	Yes

WHMIS Classification

CHEMICAL NAME	DSL	Class	Description
Alcohol Ethoxylate	Yes	D-2B	Materials Causing Other Toxic Effects; Toxic Material

CALIFORNIA

CHEMICAL NAME	CAS #	WARNING! This product contains chemicals known to the state of California to cause:			
		Birth Defects	Reproductive Harm	Carcinogen	Developmental
None Listed					

CLEAN AIR WATER ACTS

CHEMICAL NAME	CAS #	Clean Air Acts			Clean Water Acts		
		HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
None Listed							

DSCL (EEC)

Code	Definition (R-Phrases / S-Phrases)
R36	Irritating to eyes
S2	Keep out of the reach of children

SECTION – 16 OTHER INFORMATION

SDS	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
E	Irritation / Damage / Visual Impairment	NFPA	National Fire Protection Association
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	S	Irritation / Damage / Absorption
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Air concentration that is lethal to 50% of a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Rev Your Cause, LLC

and nCites, L.L.C. have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Supersedes Safety Data Sheet Dated