# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 05/14/2015

Version: 1.1

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	or the outpetaneo/mixture and or the company/andertaking
Product form	: Mixture
Trade name	: THROTTLE MUSCLE DOT 4 BRAKE FLUID 12 FL.OZ.
Product code	: TM7877
1.2. Relevant identified uses	s of the substance or mixture and uses advised against
Use of the substance/mixture	: Brake Fluid
1.3. Details of the supplier o	f the safety data sheet
Rev Your Cause LLC 144O Jason Way Unit 100-107 Santa Maria, CA 93455 T 805-925-2796	
1.4. Emergency telephone n	umber
Emergency number	: CHEMTREC 24 Hour 1-800-424-9300, 1-703-527-3887 (International)

Emergency number

CHEMTREC 24 Hour 1-800-424-9300, 1-703-527-3887 (International)

# **SECTION 2: Hazards identification** 2.1.

**Classification of the substance or mixture** 

## **GHS-US** classification

Acute Tox. 4 (Oral)	H302
Acute Tox. 4 (Inhalation:dust,mist)	H332
Skin Irrit. 2	H315
Eye Dam. 1	H318
STOT RE 2	H373

Full text of H-phrases: see section 16

2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS05 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	<ul> <li>H302+H332 - Harmful if swallowed or if inhaled</li> <li>H315 - Causes skin irritation</li> <li>H318 - Causes serious eye damage</li> <li>H373 - May cause damage to organs through prolonged or repeated exposure</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P260 - Do not breathe dust,fumes,gas,mist,vapor spray</li> <li>P261 - Avoid breathing dust,fume,gas,mist,vapor spray</li> <li>P264 - Wash affected areas thoroughly after handling</li> <li>P270 - Do not eat, drink or smoke when using this product</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear protective gloves,protective clothing,eye protection,face protection</li> <li>P301+P312 - If swallowed: Call a poison center, doctor if you feel unwell</li> <li>P302+P352 - If on skin: Wash with plenty of soap and water</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact</li> <li>lenses, if present and easy to do. Continue rinsing</li> <li>P310 - Immediately call a poison center, doctor, if you feel unwell.</li> <li>P314 - Get medical advice/attention if you feel unwell</li> <li>P321 - Specific treatment: See section 4.1 on SDS</li> <li>P330 - Rinse mouth</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention</li> <li>P362 - Take off contaminated clothing and wash it before reuse</li> <li>P501 - Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations.</li> </ul>
2.3. Other hazards Other hazards not contributing to the	: None under normal conditions.
¥	
11/11/2015	EN (English US) 1/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# classification

## 2.4. Unknown acute toxicity (GHS US)

## No data available

# **SECTION 3: Composition/Information on ingredients**

# 3.1. Substance

## Not applicable

Name	Product identifier	%	GHS-US classification
Triethylene Glycol Monomethyl Borate Ester	(CAS No) 30989-05-0	15 - 40	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2B, H320
Triethylene Glycol Monomethyl Ether	(CAS No) 112-35-6	10 - 30	Not classified
Methoxy Polyethylene Glycol 350	(CAS No) 9004-74-4	10 - 30	Not classified
Triethylene Glycol Monobutyl Ether	(CAS No) 143-22-6	8 - 18	Eye Dam. 1, H318
Polyalkylene Glycol Monobutyl Ether	(CAS No) 9004-77-7	7 - 13	Not classified
Tetraethylene Glycol	(CAS No) 112-60-7	<= 10	Not classified
Triethyleneglycol	(CAS No) 112-27-6	1 - 5	Not classified
3,6,9,12-Tetraoxatetradecane-1,14-diol	(CAS No) 4792-15-8	1 - 5	Not classified
Diisopropanolamine	(CAS No) 110-97-4	<= 1.5	Not classified
Sodium Hydroxide	(CAS No) 1310-73-2	< 1	Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314

## The exact percentage is a trade secret.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	<ul> <li>Allow victim to breathe fresh air. Allow the victim to rest. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.</li> </ul>
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/injuries	: Causes damage to organs.
Symptoms/injuries after inhalation	<ul> <li>Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.</li> </ul>
Symptoms/injuries after skin contact	: May cause moderate irritation. Itching. Red skin. Skin rash/inflammation. Causes skin irritation.
Symptoms/injuries after eye contact	: Irritation of the eye tissue. Inflammation/damage of the eye tissue. Redness of the eye tissue. Causes serious eye damage.
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate media	al attention and special treatment needed
No additional information available	
<b>SECTION 5: Firefighting measures</b>	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	ubstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday		
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Remove ignition sources. Use special care to avoid static electric charges.	
6.1.1. For non-emergency personnel		
Protective equipment	: Gloves. Safety glasses.	
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Noti	fy authorities if liquid enters sewers or public waters.	
6.3. Methods and material for containm	ent and cleaning up	
For containment	: Dam up the liquid spill. Plug the leak, cut off the supply. Contain released substance, pump into suitable containers.	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		
See Heading 8. Exposure controls and persona	l protection.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.	
7.1. Precautions for safe handling	smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing	
7.1. Precautions for safe handling Precautions for safe handling	<ul> <li>smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.</li> <li>Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> </ul>	
<ul><li>7.1. Precautions for safe handling</li><li>Precautions for safe handling</li><li>Hygiene measures</li></ul>	<ul> <li>smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.</li> <li>Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> </ul>	
<ul> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, include</li> </ul>	<ul> <li>smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.</li> <li>Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> </ul>	
<ul> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, include</li> <li>Technical measures</li> </ul>	<ul> <li>smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.</li> <li>Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>ing any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container</li> </ul>	
<ul> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, includ</li> <li>Technical measures</li> <li>Storage conditions</li> </ul>	<ul> <li>smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.</li> <li>Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>ing any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.</li> </ul>	
<ul> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, include</li> <li>Technical measures</li> <li>Storage conditions</li> <li>Incompatible products</li> </ul>	<ul> <li>smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.</li> <li>Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>ing any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.</li> <li>Strong bases. Strong acids.</li> </ul>	
<ul> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, includ</li> <li>Technical measures</li> <li>Storage conditions</li> <li>Incompatible products</li> <li>Incompatible materials</li> </ul>	<ul> <li>smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.</li> <li>Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>ing any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> </ul>	
<ul> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, includ</li> <li>Technical measures</li> <li>Storage conditions</li> <li>Incompatible products</li> <li>Incompatible materials</li> <li>Storage area</li> </ul>	<ul> <li>smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.</li> <li>Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>ing any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> <li>Keep only in the original container.</li> </ul>	
<ul> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, include</li> <li>Technical measures</li> <li>Storage conditions</li> <li>Incompatible products</li> <li>Incompatible materials</li> <li>Storage area</li> <li>Special rules on packaging</li> </ul>	<ul> <li>smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.</li> <li>Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>ing any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> <li>Keep only in the original container.</li> </ul>	
<ul> <li>7.1. Precautions for safe handling</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, includ</li> <li>Technical measures</li> <li>Storage conditions</li> <li>Incompatible products</li> <li>Incompatible materials</li> <li>Storage area</li> <li>Special rules on packaging</li> <li>7.3. Specific end use(s)</li> </ul>	<ul> <li>smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray.</li> <li>Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>ing any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> <li>Keep only in the original container.</li> <li>Keep only in original container.</li> </ul>	

#### Sodium Hydroxide (1310-73-2) 2 mg/m<sup>3</sup> (Sodium hydroxide; USA; Momentary value; TLV - Adopted Value) USA ACGIH ACGIH Ceiling (mg/m<sup>3</sup>) 8.2. Exposure controls Appropriate engineering controls : Local exhaust venilation, vent hoods . Ensure good ventilation of the work station. Personal protective equipment : Gloves. Safety glasses. Avoid all unnecessary exposure.

Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>SECTION 9: Physical and chemica</b>	I properties
9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: Liquid.
Color	: Colourless to light yellow.
Odor	: Mild . Ammoniacal.
Odor threshold	: No data available
рН	: 7-9
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: <-59 °C
Freezing point	: No data available
Boiling point	: >243 °C
Flash point	: >121 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: < 0.01 mm Hg Estimated
Relative vapor density at 20 °C	: No data available
Relative density	: 1.03 - 1.08
Solubility	: Soluble in water. Water: 100% Estimated
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 1100 mm²/s @ -40 deg C Estimated
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
VOC content	: 0%

10.1. Re	eactivity
No additiona	I information available
10.2. Ch	nemical stability
Not establish	ned.
10.3. Po	ossibility of hazardous reactions
Not establish	ned.
10.4. Co	onditions to avoid
Direct sunlig	ht. Extremely high or low temperatures.
10.5. Inc	compatible materials
Oxidizing age	ent. Strong acids. Strong bases.
10.6. Ha	azardous decomposition products
Toxic fume	. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

## Acute toxicity

: Oral: Harmful if swallowed. Inhalation:dust,mist: Harmful if inhaled.

Triethylene Glycol Monomethyl Ether (112-35-6)		
LD50 oral rat	11865 mg/kg (Rat)	
LD50 dermal rabbit	7455 mg/kg (Rabbit)	
Methoxy Polyethylene Glycol 350 (9004-74-4)		
LD50 oral rat	22000 mg/kg (Rat)	
LD50 dermal rabbit	> 20000 mg/kg (Rabbit)	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3 3 , 3	
Triethylene Glycol Monobutyl Ether (143-22-	6)
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	3480 mg/kg (Rabbit)
Tetraethylene Glycol (112-60-7)	
LD50 oral rat	29000 mg/kg (Rat)
LD50 dermal rabbit	> 20000 mg/kg (Rabbit)
Triethyleneglycol (112-27-6)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
Diisopropanolamine (110-97-4)	
LD50 oral rat	4765 mg/kg (Rat)
LD50 dermal rat	16000 mg/kg (Rat)
LD50 dermal rabbit	8000 mg/kg (Rabbit)
Triethylene Glycol Monomethyl Borate Ester	r (30989-05-0)
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 2 g/kg
LC50 inhalation rat (mg/l)	200 mg/l
Skin corrosion/irritation	: Causes skin irritation.
	pH: 7 - 9
Serious eye damage/irritation	: Causes serious eye damage.
, ,	pH: 7 - 9
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Polyalkylene Glycol Monobutyl Ether (9004-	-77-7)
IARC group	4
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if swallowed. Harmful if inhaled.
Symptoms/injuries after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/injuries after skin contact	: May cause moderate irritation. Itching. Red skin. Skin rash/inflammation. Causes skin irritation.
Symptoms/injuries after eye contact	: Irritation of the eye tissue. Inflammation/damage of the eye tissue. Redness of the eye tissue. Causes serious eye damage.
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

# **SECTION 12: Ecological information**

12.1. Toxicity		
Triethylene Glycol Monomethyl Ether (112-35-6)		
LC50 fish 1	> 5000 mg/l (LC50; 96 h)	
EC50 Daphnia 1	> 10000 mg/l (LC50; 48 h)	
Threshold limit algae 1	> 500 mg/l (EC50; 72 h)	
Triethylene Glycol Monobutyl Ether (143-22-6)		
LC50 fish 2	2200 mg/l (LC50; 96 h)	
EC50 Daphnia 2	> 500 mg/l (EC50; 48 h)	
Threshold limit algae 1	> 500 mg/l (EC50; 72 h)	
Triethyleneglycol (112-27-6)		
EC50 Daphnia 1	42426 mg/l (EC50; 48 h)	
LC50 fish 2	61000 mg/l (LC50; 96 h; Lepomis macrochirus)	
Threshold limit algae 2	> 10000 mg/l (EC0; 168 h)	
Diisopropanolamine (110-97-4)		
LC50 fish 1	1000 - 2200 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio)	
EC50 Daphnia 2	277.7 mg/l (EC50; 48 h)	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5 5 5	
Diisopropanolamine (110-97-4)	
Threshold limit algae 1	270 mg/l (EC50; 72 h)
Sodium Hydroxide (1310-73-2)	
LC50 fish 1	45.4 mg/l (LC50; Other; 96 h; Salmo gairdneri; Static system; Fresh water; Experimental
	value)
2.2. Persistence and degradability	
THROTTLE MUSCLE DOT 4 BRAKE FLUI	D 12 FL.OZ.
Persistence and degradability	Not established.
Triethylene Glycol Monomethyl Ether (11)	2-35-6)
Persistence and degradability	Inherently biodegradable. Non degradable in the soil. Photodegradation in the air. Not
	established.
Methoxy Polyethylene Glycol 350 (9004-7	4-4)
Persistence and degradability	Not readily biodegradable in water.
BOD (% of ThOD)	0.1 (28 days)
Triethylene Glycol Monobutyl Ether (143-	22-6)
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.02 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.83 g O <sub>2</sub> /g substance
Tetraethylene Glycol (112-60-7)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.50 g O <sub>2</sub> /g substance (10d)
ThOD	2.23 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.286
Polyalkylene Glycol Monobutyl Ether (90	04-77-7)
Persistence and degradability	Not established.
3,6,9,12-Tetraoxatetradecane-1,14-diol (47	792-15-8)
Persistence and degradability	Biodegradability in water: no data available.
Triethyleneglycol (112-27-6) Persistence and degradability	Inherently biodegradable. Readily biodegradable in water. Photolysis in the air.
Biochemical oxygen demand (BOD)	$0.03 \text{ g } \text{O}_2 / \text{g substance}$
Chemical oxygen demand (COD)	1.57 g $O_2$ /g substance
ThOD	1.6 g $O_2$ /g substance
Diisopropanolamine (110-97-4)	Not readily biodegradable in water.
Persistence and degradability	
Triethylene Glycol Monomethyl Borate Es	· · · · ·
Persistence and degradability	Not established.
Sodium Hydroxide (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
2.3. Bioaccumulative potential	
THROTTLE MUSCLE DOT 4 BRAKE FLUI	D 12 FL.OZ.
Bioaccumulative potential	Not established.
Triethylene Glycol Monomethyl Ether (112	2-35-6)
Log Pow	-1.13
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
Methoxy Polyethylene Glycol 350 (9004-7-	4-4)
Bioaccumulative potential	Not bioaccumulative.
Triethylene Glycol Monobutyl Ether (143-	22-6)
Log Pow	0.51 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
	· · · · · · · · · · · · · · · · · · ·
·	
Tetraethylene Glycol (112-60-7)	-2 181 38
·	-2.181.38 Bioaccumulation: not applicable.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Bolyollysians Olyosid	Jonobutud Ether (0004	77 7)			
Polyalkylene Glycol Monobutyl Ether (9004-77-7)					
	Bioaccumulative potential Not established.				
3,6,9,12-Tetraoxatetradecane-1,14-diol (4792-15-8)					
Log Pow	(° - 1	-2.30 (Estimated value)			
Bioaccumulative poter		Bioaccumulation: not applicable.			
Triethyleneglycol (11	2-27-6)				
Log Pow		-2.081.17 (Calculated)			
Bioaccumulative poter	itial	Low potential for bioaccumulation (Log Kow < 4).			
Diisopropanolamine	(110-97-4)				
Log Pow		-0.79			
Bioaccumulative poter	tial	Bioaccumulation: not applicable.			
Triethylene Glycol M	onomethyl Borate Ester	(30989-05-0)			
Bioaccumulative poter	itial	Not established.			
Sodium Hydroxide (1	310-73-2)				
Bioaccumulative poter	ıtial	No bioaccumulation data available.			
12.4. Mobility in so	bil				
	onomethyl Ether (112-35	-6)			
Surface tension		0.0314 N/m			
	e Glycol 350 (9004-74-4)				
Surface tension		0.04 N/m			
Tetraethylene Glycol	(112-60-7)				
Surface tension		0.019 N/m			
Triethyleneglycol (11	2-27-6)				
Surface tension		0.045 N/m (20 °C)			
12.5. Other advers	e effects				
Other information		: Avoid release to the environment.			
SECTION 13: Disp	osal consideration	S			
13.1. Waste treatm	ent methods				
Waste disposal recomm	endations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of			
		contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations.			
Ecology - waste materia	le	: Avoid release to the environment.			
Lology - waste materia	15				
SECTION 14: Tran	sport information	N			
US DOT (ground):	Not regulated,				
ICAO/IATA (air):	Not regulated,				
	-				
IMO/IMDG (water):	Not regulated,				
14.2. UN proper sh	ipping name				
Proper Shipping Name		: Not regulated			
14.3. Additional info					
Other information	maton	: No supplementary information available.			
		. To support function available.			
Overland transport					
No additional informatio	n available				
Transport by sea					
No additional informatio	n available				
Air transport					
No additional informatio	n available				

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information			
15.1. US Federal regulations			
THROTTLE MUSCLE DOT 4 BRAKE FLUID 12 FL.OZ.			
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard		
Triethylene Glycol Monomethyl Ether (112-35	-6)		
Subject to reporting requirements of United States SARA Section 313			
Triethylene Glycol Monobutyl Ether (143-22-6)			
Subject to reporting requirements of United States SARA Section 313			
Triethylene Glycol Monomethyl Borate Ester (30989-05-0)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
45.0 International normalitiens			

# **15.2. International regulations**

## CANADA

THROTTLE MUSCLE DOT 4 BRAKE FLUID 12 FL.OZ.
Listed on the Canadian DSL (Domestic Substances List)
Triethylene Glycol Monobutyl Ether (143-22-6)
Triethylene Glycol Monomethyl Borate Ester (30989-05-0)
Listed on the Canadian DSL (Domestic Substances List)

## **EU-Regulations**

Triethylene Glycol Monobutyl Ether (143-22-6)
Triethylene Glycol Monomethyl Borate Ester (30989-05-0)
Listed on ELINCS (European List of Notified Chemical Substances)

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R41 Xi; R38

Full text of R-phrases: see section 16

## 15.2.2. National regulations

THROTTLE MUSCLE DOT 4 BRAKE FLUID 12 FL.OZ.

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Triethylene Glycol Monobutyl Ether (143-22-6)
Triethylene Glycol Monomethyl Borate Ester (30989-05-0)

#### 15.3. US State regulations

THROTTLE MUSCLE DOT 4 BRAKE FLUID 12 FL.OZ.				
U.S California - Proposition 65 - Carcinogens List		Yes		
U.S California - Proposition 65 - Developmental Toxicity		Yes		
U.S California - Proposition 65 - Reproductive Toxicity - Female		Yes		
U.S California - Proposition 65 - Reproductive Toxicity - Male		Yes		
State or local regulations		U.S Pennsylvania -	oosition 65 - Maximum Allowable Dos RTK (Right to Know) List ight to Know Hazardous Substance L	
Triethylene Glycol Monor	nethyl Ether (112-35-6)			
U.S California - Proposition 65 -	U.S California - Proposition 65 -	U.S California - Proposition 65 -	U.S California - Proposition 65 -	Non-significant risk level (NSRL)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methoxy Polyethylene G	lycol 350 (9004-74-4)			
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
Triethylene Glycol Mono	butyl Ether (143-22-6)		•	•
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
Tetraethylene Glycol (11	2-60-7)			
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	`````
No	No	No	No	
Polyalkylene Glycol Mor	obutyl Ether (9004-77-7)			
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
3,6,9,12-Tetraoxatetrade	cane-1,14-diol (4792-15-8)			
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
Triethyleneglycol (112-2	7-6)			
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
Diisopropanolamine (11	0-97-4)		•	•
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
		Female	Male	
No	No	No	No	
Triethylene Glycol Mono	methyl Borate Ester (30989-0	(5-0)		
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
Sodium Hydroxide (1310	-73-2)			
U.S California -	U.S California -	U.S California -	U.S California -	Non-significant risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	
Triethylene Glycol Mono	methyl Ether (112-35-6)	•		
State or local regulation				
U.S Pennsylvania - RTK	(Right to Know) - Environment	al Hazard List		
	to Know Hazardous Substance			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Triethylene Glycol Monobutyl Ether (143-22-6)
State or local regulations
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S New Jersey - Right to Know Hazardous Substance List
Triethyleneglycol (112-27-6)
State or local regulations
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Triethylene Glycol Monomethyl Borate Ester (30989-05-0)
State or local regulations
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

## **SECTION 16: Other information**

Other information

: None.

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H320	Causes eye irritation
H332	Harmful if inhaled
H373	May cause damage to organs through prolonged or repeated exposure

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		

Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 1 Slight Hazard
Physical	: 0 Minimal Hazard
Personal Protection	: B

SDS US (GHS HazCom 2012) - TCC

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product

Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.